

Appendix

1 Duty Cycle, Tx Sequence, Tx Gap, Medium Utilisation	2
1.1 RF Output Power	3
1.2 Accumulated Transmit Time	9
1.3 Frequency Occupation	15
1.4 Hopping Sequence	21
1.5 Dwell Time One Burst	27
1.6 Hopping Frequency Separation	33
1.7 Occupied Channel Bandwidth	39
1.8 Transmitter unwanted emissions in the out-of-band domain	45
1.9 Transmitter unwanted emissions in the spurious domain	52
1.10 Receiver spurious emissions	60
1.11 Receiver Blocking	66

1. Duty Cycle, Tx Sequence, Tx Gap, Medium Utilisation


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Tx-sequence (ms)	Tx Gap (ms)	MU (%)
NVNT	1-DH1	hopping	Ant1	30.64	0.38	0.87	0.55
				30.64	0.38	0.87	0.57
				30.62	0.38	0.87	0.59
	2-DH1			31.04	0.39	0.86	0.39
				31.05	0.39	0.86	0.39
				31.04	0.39	0.86	0.4
	3-DH1			31.05	0.39	0.86	0.39
				31.09	0.39	0.86	0.4
				31.05	0.39	0.86	0.4

1.1 RF Output Power


Condition	Mode	Frequency (MHz)	Antenna	Max Burst RMS Power (dBm)	Burst Number	Max EIRP (dBm)	Limit (dBm)	Verdict	
NVNT	1-DH1	hopping	Ant1	2.56	80	2.56	20	Pass	
				2.7	80	2.7	20	Pass	
				2.82	80	2.82	20	Pass	
	2-DH1			0.97	81	0.97	20	Pass	
				1	80	1	20	Pass	
				1.15	80	1.15	20	Pass	
				3-DH1	0.94	81	0.94	20	Pass
					1.06	80	1.06	20	Pass
					1.11	80	1.11	20	Pass

Test Graphs


Power NVNT 1-DH1 2402MHz Ant1




Power NVNT 1-DH1 2441MHz Ant1




Power NVNT 1-DH1 2480MHz Ant1




Power NVNT 2-DH1 2402MHz Ant1




Power NVNT 2-DH1 2441MHz Ant1




Power NVNT 2-DH1 2480MHz Ant1




Power NVNT 3-DH1 2402MHz Ant1



Power NVNT 3-DH1 2441MHz Ant1



Power NVNT 3-DH1 2480MHz Ant1




1.2 Accumulated Transmit Time


Condition	Mode	Frequency (MHz)	Antenna	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH1	2402	Ant1	121.858	400	31600	319	Pass
		2441		122.24	400	31600	320	Pass
		2480		121.858	400	31600	319	Pass
	2-DH1	2402		123.453	400	31600	319	Pass
		2441		122.996	400	31600	317	Pass
		2480		123.453	400	31600	319	Pass
	3-DH1	2402		123.453	400	31600	319	Pass
		2441		123.772	400	31600	319	Pass
		2480		123.453	400	31600	319	Pass



Test Graphs



Dwell NVNT 1-DH1 2402MHz Ant1






Dwell NVNT 1-DH1 2441MHz Ant1












1.3 Frequency Occupation


Condition	Mode	Frequency (MHz)	Antenna	Burst Number	Limit	Sweep Time (ms)	Verdict
NVNT	1-DH1	2402	Ant1	2	1	120.712	Pass
		2441		2	1	120.712	Pass
		2480		1	1	120.712	Pass
	2-DH1	2402		2	1	122.292	Pass
		2441		2	1	122.608	Pass
		2480		2	1	122.292	Pass
	3-DH1	2402		2	1	122.292	Pass
		2441		2	1	122.608	Pass
		2480		2	1	122.292	Pass

Test Graphs


Freq. Occup. NVNT 1-DH1 2402MHz Ant1




Freq. Occup. NVNT 1-DH1 2441MHz Ant1




Freq. Occup. NVNT 1-DH1 2480MHz Ant1




Freq. Occup. NVNT 2-DH1 2402MHz Ant1




Freq. Occup. NVNT 2-DH1 2441MHz Ant1




Freq. Occup. NVNT 2-DH1 2480MHz Ant1




Freq. Occup. NVNT 3-DH1 2402MHz Ant1



Freq. Occup. NVNT 3-DH1 2441MHz Ant1






1.4 Hopping Sequence


Condition	Mode	Antenna	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH1	Ant1	79	15	95.4	70	Pass
	2-DH1			15	96	70	Pass
				15	95.8	70	Pass
				15	96	70	Pass
	3-DH1			15	95.8	70	Pass

Test Graphs


Hopping Seq. NVNT 1-DH1 2402MHz Ant1




Hopping Seq. NVNT 1-DH1 2441MHz Ant1







Hopping Seq. NVNT 1-DH1 2480MHz Ant1




Hopping Seq. NVNT 2-DH1 2402MHz Ant1










1.5 Dwell Time One Burst

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)
NVNT	1-DH1	2402	Ant1	0.382
		2441		0.382
		2480		0.382
	2-DH1	2402		0.387
		2441		0.388
		2480		0.387
	3-DH1	2402		0.387
		2441		0.388
		2480		0.387



Test Graphs



One Burst NVNT 1-DH1 2402MHz Ant1 One Burst






One Burst NVNT 1-DH1 2441MHz Ant1 One Burst












1.6 Hopping Frequency Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2402.01	2403.001	0.991	0.1	Pass
			2440.982	2441.997	1.015	0.1	Pass
			2478.975	2480.008	1.033	0.1	Pass
	2-DH1		2401.992	2402.993	1.001	0.1	Pass
			2441.004	2442.009	1.005	0.1	Pass
			2478.996	2479.993	0.997	0.1	Pass
	3-DH1		2402.02	2403.023	1.003	0.1	Pass
			2440.972	2442.053	1.081	0.1	Pass
			2479.016	2479.924	0.908	0.1	Pass



Test Graphs



HFS NVNT 1-DH1 2402MHz Ant1






HFS NVNT 1-DH1 2441MHz Ant1












1.7 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH1	2402	Ant1	2402	0.837	2401.582	2402.418	2400 - 2483.5MHz	Pass
		2441		2440.996	0.84	2440.577	2441.416	2400 - 2483.5MHz	Pass
		2480		2479.999	0.839	2479.579	2480.419	2400 - 2483.5MHz	Pass
	2-DH1	2402		2401.994	1.187	2401.4	2402.587	2400 - 2483.5MHz	Pass
		2441		2440.986	1.171	2440.4	2441.571	2400 - 2483.5MHz	Pass
		2480		2479.987	1.164	2479.405	2480.569	2400 - 2483.5MHz	Pass
	3-DH1	2402		2402.01	1.176	2401.422	2402.598	2400 - 2483.5MHz	Pass
		2441		2441.005	1.168	2440.421	2441.589	2400 - 2483.5MHz	Pass
		2480		2480.006	1.164	2479.424	2480.587	2400 - 2483.5MHz	Pass



Test Graphs



OBW NVNT 1-DH1 2402MHz Ant1




OBW NVNT 1-DH1 2441MHz Ant1









OBW NVNT 3-DH1 2402MHz Ant1



OBW NVNT 3-DH1 2441MHz Ant1






1.8 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	Antenna	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH1	Hopping	Ant1	2399.5	-75.91	-10	Pass
				2398.5	-76.14	-20	Pass
				2484	-75.34	-10	Pass
				2485	-72.08	-20	Pass
				2399.5	-76.24	-10	Pass
				2398.5	-75.89	-20	Pass
				2484	-74.14	-10	Pass
				2485	-75.21	-20	Pass
				2399.5	-75.66	-10	Pass
				2398.5	-75.92	-20	Pass
				2484	-76.1	-10	Pass
				2485	-75.45	-20	Pass
	2-DH1			2399.5	-76.17	-10	Pass
				2399.313	-76.16	-10	Pass
				2398.313	-76.15	-20	Pass
				2398.126	-75.55	-20	Pass
				2484	-75.74	-10	Pass
				2484.164	-75.87	-10	Pass
				2485.164	-75.73	-20	Pass
				2485.328	-76.14	-20	Pass
				2399.5	-76.14	-10	Pass
				2399.313	-76.15	-10	Pass
				2398.313	-76.25	-20	Pass
				2398.126	-76.33	-20	Pass
				2484	-75.73	-10	Pass
				2484.164	-75.85	-10	Pass
				2485.164	-75.67	-20	Pass
				2485.328	-75.66	-20	Pass
				2399.5	-75.94	-10	Pass
				2399.313	-75.98	-10	Pass
				2398.313	-75.93	-20	Pass
				2398.126	-75.62	-20	Pass
				2484	-75.67	-10	Pass
				2484.164	-75.39	-10	Pass
				2485.164	-75.2	-20	Pass
				2485.328	-75.83	-20	Pass
	3-DH1			2399.5	-75.88	-10	Pass
				2399.324	-75.44	-10	Pass
				2398.324	-76.21	-20	Pass
				2398.148	-76	-20	Pass
				2484	-75.62	-10	Pass


				2484.164	-75.62	-10	Pass
				2485.164	-75.21	-20	Pass
				2485.328	-72.71	-20	Pass
				2399.5	-76.12	-10	Pass
				2399.324	-76.15	-10	Pass
				2398.324	-75.92	-20	Pass
				2398.148	-76.08	-20	Pass
				2484	-75.84	-10	Pass
				2484.164	-75.9	-10	Pass
				2485.164	-75.15	-20	Pass
				2485.328	-75.7	-20	Pass
				2399.5	-75.78	-10	Pass
				2399.324	-75.95	-10	Pass
				2398.324	-76.12	-20	Pass
				2398.148	-76.12	-20	Pass
				2484	-75.42	-10	Pass
				2484.164	-75.77	-10	Pass
				2485.164	-75.98	-20	Pass
				2485.328	-75.75	-20	Pass

Test Graphs


Tx. Emissions OOB NVNT 1-DH1 2402MHz Ant1




Tx. Emissions OOB NVNT 1-DH1 2441MHz Ant1




Tx. Emissions OOB NVNT 1-DH1 2480MHz Ant1




Tx. Emissions OOB NVNT 2-DH1 2402MHz Ant1




Tx. Emissions OOB NVNT 2-DH1 2441MHz Ant1




Tx. Emissions OOB NVNT 2-DH1 2480MHz Ant1




Tx. Emissions OOB NVNT 3-DH1 2402MHz Ant1



Tx. Emissions OOB NVNT 3-DH1 2441MHz Ant1



Tx. Emissions OOB NVNT 3-DH1 2480MHz Ant1



1.9 Transmitter unwanted emissions in the spurious domain


Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Spur Freq (MHz)	Peak (dBm)	RMS (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	30 -47	38.80	-67.26	NA	-36	Pass
				47 -74	61.45	-67.03	NA	-54	Pass
				74 -87.5	79.75	-66.42	NA	-36	Pass
				87.5 -118	96.65	-67.35	NA	-54	Pass
				118 -174	159.00	-65.96	NA	-36	Pass
				174 -230	212.40	-66.77	NA	-54	Pass
				230 -470	257.95	-64.76	NA	-36	Pass
				470 -694	544.55	-66.44	NA	-54	Pass
				694 -1000	794.85	-65.98	NA	-36	Pass
				1000 -2398	2236.50	-51.97	NA	-30	Pass
		2485.5 -12750		7396.50	-46.92	NA	-30	Pass	
		30 -47		44.50	-66.93	NA	-36	Pass	
		47 -74		62.55	-66.32	NA	-54	Pass	
		74 -87.5		86.65	-67.04	NA	-36	Pass	
		87.5 -118		107.75	-66.34	NA	-54	Pass	
		118 -174		128.50	-66.49	NA	-36	Pass	
		174 -230		197.15	-66.63	NA	-54	Pass	
		230 -470		419.90	-65.59	NA	-36	Pass	
		470 -694		631.70	-66.00	NA	-54	Pass	
		694 -1000		944.95	-65.87	NA	-36	Pass	
	1000 -2398	2229.00		-51.67	NA	-30	Pass		
	2485.5 -12750	12535.50		-46.47	NA	-30	Pass		
	30 -47	41.25		-67.23	NA	-36	Pass		
	47 -74	73.90		-66.94	NA	-54	Pass		
	74 -87.5	85.65		-67.05	NA	-36	Pass		
	87.5 -118	102.30		-66.37	NA	-54	Pass		
	118 -174	138.00		-66.81	NA	-36	Pass		
	174 -230	227.85		-65.70	NA	-54	Pass		
	230 -470	269.95		-65.39	NA	-36	Pass		
	470 -694	591.20		-66.56	NA	-54	Pass		
	694 -1000	956.30		-65.97	NA	-36	Pass		
	1000 -2398	2190.50		-52.35	NA	-30	Pass		
	2485.5 -12750	7441.50		-46.27	NA	-30	Pass		
	30 -47	37.55		-67.14	NA	-36	Pass		
	47 -74	66.70		-66.98	NA	-54	Pass		
	74 -87.5	79.35		-66.85	NA	-36	Pass		
	87.5 -118	116.20		-67.02	NA	-54	Pass		

		2441	118 -174	161.05	-66.50	NA	-36	Pass	
			174 -230	204.10	-66.57	NA	-54	Pass	
			230 -470	292.40	-65.72	NA	-36	Pass	
			470 -694	563.90	-66.47	NA	-54	Pass	
			694 -1000	931.55	-66.10	NA	-36	Pass	
			1000 -2398	2236.50	-51.67	NA	-30	Pass	
			2485.5 -12750	7104.00	-46.66	NA	-30	Pass	
			30 -47	41.45	-66.92	NA	-36	Pass	
			47 -74	63.25	-65.72	NA	-54	Pass	
			74 -87.5	76.00	-67.10	NA	-36	Pass	
			87.5 -118	101.25	-66.05	NA	-54	Pass	
			118 -174	151.95	-66.83	NA	-36	Pass	
			174 -230	178.15	-66.78	NA	-54	Pass	
			230 -470	270.00	-64.90	NA	-36	Pass	
			470 -694	559.05	-66.38	NA	-54	Pass	
			694 -1000	868.75	-66.29	NA	-36	Pass	
			1000 -2398	2238.50	-52.01	NA	-30	Pass	
			2485.5 -12750	3466.50	-45.74	NA	-30	Pass	
			30 -47	30.60	-66.23	NA	-36	Pass	
			47 -74	50.95	-67.44	NA	-54	Pass	
		74 -87.5	75.05	-66.82	NA	-36	Pass		
		87.5 -118	114.00	-67.02	NA	-54	Pass		
		118 -174	134.25	-66.10	NA	-36	Pass		
		174 -230	200.40	-65.81	NA	-54	Pass		
		230 -470	270.00	-65.62	NA	-36	Pass		
		470 -694	535.85	-66.41	NA	-54	Pass		
		694 -1000	859.35	-65.56	NA	-36	Pass		
		1000 -2398	2116.00	-51.25	NA	-30	Pass		
		2485.5 -12750	12539.50	-46.65	NA	-30	Pass		
		3-DH1	2402	30 -47	30.30	-66.22	NA	-36	Pass
				47 -74	57.05	-67.09	NA	-54	Pass
				74 -87.5	81.10	-67.31	NA	-36	Pass
				87.5 -118	97.75	-66.76	NA	-54	Pass
				118 -174	153.65	-65.87	NA	-36	Pass
				174 -230	181.10	-66.99	NA	-54	Pass
				230 -470	270.00	-63.93	NA	-36	Pass
				470 -694	516.45	-66.47	NA	-54	Pass
				694 -1000	911.75	-66.16	NA	-36	Pass
				1000 -2398	2197.50	-51.45	NA	-30	Pass
				2485.5 -12750	7090.00	-46.60	NA	-30	Pass


		2441	30 -47	43.60	-67.10	NA	-36	Pass
			47 -74	71.70	-67.33	NA	-54	Pass
			74 -87.5	78.85	-67.57	NA	-36	Pass
			87.5 -118	100.00	-66.30	NA	-54	Pass
			118 -174	131.10	-66.50	NA	-36	Pass
			174 -230	203.40	-66.47	NA	-54	Pass
			230 -470	362.35	-64.63	NA	-36	Pass
			470 -694	571.35	-66.39	NA	-54	Pass
			694 -1000	860.85	-66.01	NA	-36	Pass
			1000 -2398	2214.00	-51.99	NA	-30	Pass
		2480	2485.5 -12750	12322.50	-46.55	NA	-30	Pass
			30 -47	35.35	-67.57	NA	-36	Pass
			47 -74	72.90	-66.96	NA	-54	Pass
			74 -87.5	82.85	-65.88	NA	-36	Pass
			87.5 -118	112.60	-66.76	NA	-54	Pass
			118 -174	157.90	-65.74	NA	-36	Pass
			174 -230	208.55	-66.82	NA	-54	Pass
			230 -470	266.65	-65.35	NA	-36	Pass
			470 -694	527.10	-65.67	NA	-54	Pass
			694 -1000	944.55	-65.62	NA	-36	Pass
			1000 -2398	2160.50	-52.05	NA	-30	Pass
			2485.5 -12750	7200.00	-46.49	NA	-30	Pass

Test Graphs


Tx. Spurious NVNT 1-DH1 2402MHz Ant1




Tx. Spurious NVNT 1-DH1 2441MHz Ant1




Tx. Spurious NVNT 1-DH1 2480MHz Ant1




Tx. Spurious NVNT 2-DH1 2402MHz Ant1




Tx. Spurious NVNT 2-DH1 2441MHz Ant1




Tx. Spurious NVNT 2-DH1 2480MHz Ant1




Tx. Spurious NVNT 3-DH1 2402MHz Ant1



Tx. Spurious NVNT 3-DH1 2441MHz Ant1



Tx. Spurious NVNT 3-DH1 2480MHz Ant1




1.10 Receiver spurious emissions


Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Spur Freq (MHz)	Peak (dBm)	RMS (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	30 -1000	932.65	-75.98	NA	-57	Pass
				1000 -12750	12358	-59.04	NA	-47	Pass
		2441		30 -1000	304.65	-75.65	NA	-57	Pass
				1000 -12750	12578	-58.66	NA	-47	Pass
		2480		30 -1000	992.2	-76.28	NA	-57	Pass
				1000 -12750	7494.5	-57.97	NA	-47	Pass
	2-DH1	2402		30 -1000	270.05	-75.96	NA	-57	Pass
				1000 -12750	7519	-57.83	NA	-47	Pass
		2441		30 -1000	270.05	-75.85	NA	-57	Pass
				1000 -12750	12564.5	-57.50	NA	-47	Pass
		2480		30 -1000	299.6	-76.25	NA	-57	Pass
				1000 -12750	12563.5	-56.38	NA	-47	Pass
	3-DH1	2402		30 -1000	301	-76.32	NA	-57	Pass
				1000 -12750	7506	-57.60	NA	-47	Pass
		2441		30 -1000	126.6	-76.42	NA	-57	Pass
				1000 -12750	7456.5	-58.44	NA	-47	Pass
		2480		30 -1000	112.2	-76.26	NA	-57	Pass
				1000 -12750	12492.5	-58.69	NA	-47	Pass

Test Graphs


Rx. Spurious NVNT 1-DH1 2402MHz Ant1




Rx. Spurious NVNT 1-DH1 2441MHz Ant1




Rx. Spurious NVNT 1-DH1 2480MHz Ant1




Rx. Spurious NVNT 2-DH1 2402MHz Ant1




Rx. Spurious NVNT 2-DH1 2441MHz Ant1




Rx. Spurious NVNT 2-DH1 2480MHz Ant1




Rx. Spurious NVNT 3-DH1 2402MHz Ant1



Rx. Spurious NVNT 3-DH1 2441MHz Ant1



Rx. Spurious NVNT 3-DH1 2480MHz Ant1




1.11 Receiver Blocking


Condition	Mode	Frequency (MHz)	Antenna	Wanted Power (dBm)	Blocking Frequency (MHz)	Blocking Power (dBm)	PER (%)	Limit (%)	Verdict
NVNT	1-DH1	2402	Ant1	-69.77	2380	-34	0	10	Pass
				-69.77	2300	-34	0	10	Pass
		2441		-69.76	2380	-34	0	10	Pass
				-69.76	2504	-34	0	10	Pass
				-69.76	2300	-34	0	10	Pass
				-69.76	2584	-34	0	10	Pass
				-69.76	2504	-34	0	10	Pass
				-69.76	2584	-34	0	10	Pass
	2480	-69.76		2504	-34	0	10	Pass	
		-69.76		2584	-34	0	10	Pass	
	2-DH1	2402		-68.26	2380	-34	0	10	Pass
				-68.26	2300	-34	0	10	Pass
		2441		-68.31	2380	-34	0	10	Pass
				-68.31	2504	-34	0	10	Pass
				-68.31	2300	-34	0	10	Pass
				-68.31	2584	-34	0	10	Pass
				-68.34	2504	-34	0	10	Pass
				-68.34	2584	-34	0	10	Pass
		2480		-68.3	2380	-34	0	10	Pass
				-68.3	2300	-34	0	10	Pass
				-68.33	2380	-34	0	10	Pass
				-68.33	2504	-34	0	10	Pass
				-68.33	2300	-34	0	10	Pass
				-68.33	2584	-34	0	10	Pass
-68.34			2504	-34	0	10	Pass		
-68.34			2584	-34	0	10	Pass		

Test Graphs


Rx. Blockings NVNT 1-DH1 2402MHz Ant1




Rx. Blockings NVNT 1-DH1 2441MHz Ant1




Rx. Blockings NVNT 1-DH1 2480MHz Ant1




Rx. Blockings NVNT 2-DH1 2402MHz Ant1




Rx. Blockings NVNT 2-DH1 2441MHz Ant1




Rx. Blockings NVNT 2-DH1 2480MHz Ant1




Rx. Blockings NVNT 3-DH1 2402MHz Ant1



Rx. Blockings NVNT 3-DH1 2441MHz Ant1





-----End-----